



## QUOTATION & SPECIFICATION SHEET

<b>ENGINE</b>	<b>Zetec 16 valve DCOE Carbs</b>		
	<b>Bore</b>	84.8mm	
	<b>Stroke</b>	88 mm	
	<b>Compression rate</b>	10:1	
	<b>Valves</b>	16	
	<b>Camshafts</b>	2 in cylinder head	
	<b>Firing order</b>	1:3:4:2	
	<b>Power</b>	105kw@5000rpm	
	<b>Torque</b>	140nm@5000rpm	
	<b>Capacity</b>	1800cc	
<b>PERFORMANCE</b>	<b>0 – 100 KM/H</b>	6.5 sec	
	<b>Maximum speed</b>	200km/h (approx)	
<b>TRANSMISSION</b>	<b>5 Speed Manual</b>		
	<b>Ratio's</b>	1 <sup>st</sup>	3.36:1
		2 <sup>nd</sup>	1.81:1
		3 <sup>rd</sup>	1.26:1
		4 <sup>th</sup>	1.00:1
		5 <sup>th</sup>	0.82:1
		Reverse	3.87:1
	<b>Final drive ratios</b>		3.89:1
	<b>LSD Option Available</b>		4.11:1
<b>CLUTCH</b>		216mm Single dry plate *Hydraulic	
<b>BRAKES</b>		Dual Circuit hydraulic Alloy pedal box, position adjustable. Adjustable brake bias Fluid level warning system	
	<b>Front</b>	257 mm diameter ventilated discs With 4 pot alloy calipers	
	<b>Rear</b>	229 mm diameter solid discs with	

		Single pot alloy calipers and handbrake mechanism.
<b>SUSPENSION</b>	<b>Front</b>	Independent Elliptical double wishbones Adjustable anti-roll bar.
	<b>Rear</b>	Live axle Four trailing links Panhard bar
	<b>Dampers</b>	Coil spring over adjustable hydraulic Dampers.
<b>WHEELS &amp; TYRES</b>		15"/7" alloy wheels 195 /50 * 15 tyres Spare Optional
<b>FUEL TANK:</b>	<b>Capacity</b>	40litres
<b>INSTRUMENTATION</b>	<b>VDO</b>	Speedometer, Tachometer, Ammeter, Oil pressure, Temperature & Fuel gauge.
<b>INTERIOR</b>		Bucket seats, (Driver seat Adjustable) Upholstery. Black vinyl.
<b>STANDARD EQUIPMENT</b>		Roll bar, Cycle type front fenders Heated windscreen Side mounted rear view mirrors.
<b>COLOUR</b>	<b>Alloy Body Panels</b>	Full Body Paint - Yellow
	<b>Mudguards</b>	Yellow with C/F Stoneguard
	<b>Nose Cone</b>	Yellow
	<b>Cycle Fenders</b>	Carbon Fibre
	<b>Standard Colours</b>	Green / Red / Blue / Yellow / White / Black.
<b>GENERAL DIMENSIONS</b>		
	Length	3500 mm
	Width	1575 mm
	Height	1060 mm (to roll bar)
	Front track	1330 mm
	Rear track	1410 mm
	Wheel base	2225 mm
	Ground clearance	110 mm

# QUOTATION SHEET

BIRKIN S3 YELLOW DEMO CAR TWIN CAM.

TWIN WEBER 40 DCOE CARBS

STD TRACK LIVE AXLE MODEL LESS WEATHER GEAR WITH OPTIONAL EXTRA'S.

OPTIONAL EXTRA'S ADDED	C/F Steering wheel centre	R245
	C/F Front Fenders	R1777
	C/F Dashboard panel	R1352
	C/F Console	R1745
	C/F Stone Guards	R420
	Extended exhaust collector	R952
NON STANDARD PAINTWORK	Bonnet & Scuttle	R1599
	Alloy body panels (back & sides)	R3321

PRICE EX WORKS PINETOWN FACTORY:  
PLUS VAT

R203, 484.00  
R 28,487.62

RETAIL PRICE WITH LISTED OPTIONS

**R231, 970.62**

**DEMO PRICE NETT**

**R180, 000.00**

Contact Cheryl Christie  
[info@birkindirect.com](mailto:info@birkindirect.com)  
082 774 6436